Public Meeting Information

Asian Citrus Psyllid Response

Program



CITRUS PEST & DISEASE PREVENTION DIVISION CALIFORNIA DEPARTMENT OF FOOD AND AGRICULTURE

Asian Citrus Psyllid (ACP) Life Cycle

- Up to 10 generations per year
- 5 nymph stages
- Life cycle is 15 47 days
- Eggs can reach the adult stage in 2 weeks

Life Stages

Eggs

Nymphs with waxy tubules



Pest Hotline:

Adult

Adult feeding with nymphs



Huanglongbing (HLB)







Blotchy mottling



Asymmetric leaf mottling



Yellow, corked veins

- HLB is a bacterial disease of citrus and citrus relatives, caused by the bacteria *Candidatus* Liberibacter asiaticus.
- HLB can be spread by ACP feeding or grafting with infected budwood. ACP ingest the bacteria when feeding and can spread it to other trees.
- Symptoms include yellow shoots, asymmetric leaf mottle, thick or woody leaf veins, and lopsided, inedible fruit.
- There is no known cure for HLB. Once a tree is infected with HLB, it will die.
- If you suspect you have a citrus tree with HLB, please contact the California Department of Food and Agriculture at 1-800-491-1899.



Survey

CDFA staff will survey the area for all host plants and look for ACP and HLB disease symptoms.







- CDFA surveyors will collect leaf samples and any ACP life stages from all host plants.
- Host plants include all citrus varieties and hybrids (kumquat, mandarin, grapefruit, orange, lemon and lime) and closely related plants like curry leaf and ornamental orange-jasmine.
- All samples are shipped to the CDFA Plant Pest Diagnostics Center laboratory in Sacramento for analysis.
- If a sample is confirmed positive for ACP or the HLB disease, the resident will be notified.

 Pest Hotline:
 CITRUS PEST & DISEASE

 1.800.491.1899
 PREVENTION DIVISION

 California department of Food and Agriculture
 California department of Food and Agriculture

Treatment

- CDFA will be treating citrus trees to eradicate possibly infected ACP in the area.
- Treatment will be applied by a professional applicator or CDFA staff.









Active Ingredients

- The ACP treatment program uses products containing the active ingredients imidacloprid and beta-cyfluthrin.
- Imidacloprid is an insecticide that provides lasting protection to trees. It is available in a variety of home garden products and flea treatments for dogs and cats.
- Beta-cyfluthrin is an insecticide used for the control of ACP adults and nymphs. It is similar to a natural compound found in chrysanthemum flowers. Beta-cyfluthrin products are used in homes, restaurants, hospitals, food processing plants and gardens.



Tempo SC Ultra Beta-cyfluthrin product



Merit 2F Imidacloprid product



CoreTect Imidacloprid product

Pest Hotline: 1.800.491.1899



Notifications

	CALIFORNIA DEPARTMENT OF FOOD AND AGRICULTURE COUNTY AGRICULTURAL COMMISSIONER'S OFFICE
	OFFICIAL NOTICE
	ADVANCE NOTICE OF INSECTICIDE TREATMENT
serious insect p determined that and economic is spread of their cyfluthrin), a p located on your or host shrubs, products for us	Department of Food and Agriculture (CDFA) has detected the Asian citrus psyllid (ACP), a set, or Huanglongbing (HLB), a deadly citrus disease, in your neighborhood. CDFA has temegraper, treatment is needed to protect California from the negative environmental mpacts the establishment of this pest throughout California would cause. To prevent the spests, it will be necessary to paply the insecticides Tempolog Sc Ultra (deta- yrethroid), and Merit® ZF or CoreTect™ (midacipriof), to all citrus trees and host shnubs property. These insecticides Kill and and/or immuter ACP present on your citrus trees The insecticides are applied using ground-based equipment. CDFA has selected these based on their effectiveness against Asian citrus psyllid, worker and environmental fornia registration status.
By allowing CD suppression of economy.	FA to treat the citrus trees on your property, you will be making a huge contribution to the this invasive pest, which poses an imminent threat to California's environment and
This treatment	is free of charge.
Your property conditions, such	is scheduled for treatment on Unfavorable weather unfavorable weather
 Leave years 	ed to be present during the treatment as long as treatment staff have access to your ing the backyard. The treatment takes only a few minutes if you take the following steps: our gates unlocked.
	our doors and windows. They may be opened after treatment is complete. Ims such as barbecues, lawn furniture, toys, etc. away from your trees and shrubs.
	ary to harvest all of the citrus fruit from your trees before the treatment begins. Any fruit to after the treatment date can be left on the tree and harvested after the area has dried.
After the treatr	nent is completed:
	ntact with treated area until the treated area is dry. our project office before moving any citrus plant material from your property.
Please visit ou	r website to learn more about this pest http://www.cdfa.ca.gov/plant/acp/
f you have any 800) 491-1899	questions or a situation that requires special attention, please call
Thank you for	your cooperation.
Block Number:	Date:
	ock number when contacting our office)
90-232 (8/10/2020)	A
us Pest and Disease P	revention Division State of California

48-hour notification

CALIFORNIA DEPARTMENT OF FOOD AND AGRICULTURE COUNTY AGRICULTURAL COMMISSIONER'S OFFICE	CALIFORNIA DEPARTMENT OF FOOD AND AGRICULTURE COUNTY AGRICULTURAL COMMISSIONER'S OFFICE
WE WERE UNABLE TO TREAT YOUR PROPERTY	NOTICE OF INSECTICIDE TREATMENT
	The California Department of Food and Agriculture (CDFA) has detected the Asian citrus psyllid (ACP), a serious insect pest, or Huanglongbing (HLB), a deadly citrus disease, in your neighborhood.
Your property was scheduled for Asian citrus psyllid treatment on We were unable to treat as planned due to the reason(s) checked below.	OnAM. / P.M., your property was treated with the insecticide(s) checked below. By allowing CDFA to perform emergency treatment of citrus trees on your property, you have made a huge contribution to the suppression of this invasive pest, which poses an immiment threat to California's environment and economy. If you have any questions, please call the Project Office at (800) 491-1899 .
Your gate was locked or a dog was present. Your property has been rescheduled	To learn more about the ACP and HLB, please visit the CDFA
for treatment on Please unlock your gate and/or restrain your dog on the date of your scheduled treatment.	vebsite: <u>http://www.cdfa.ca.gov/phpps/acp/</u> Tempo% SC Uitra (beta-cyluthrin) is a formulation of a pyrethroid contact insecticide for controlling Asian citrus pyrild adults and mymphs. This material will be applied a minimum of one time to the foliage of host plants on designated residential properties.
	Appendix and the standard optical applied to the soil of all host plants at designated residential properties. The material is taken up into the plant via the root system and provides approximately 12 months of protection against the pest, depending on the soil conditions.
Reason:	CoreTect™ (imidacloprid, a systemic insecticide), tablets were applied below the soil surface of host plants at designated residential properties. The material is taken up into the plant via the root system and provides approximately 12 months of protection against the pest, depending on the soil conditions.
In order to stop the spread of the Asian citrus psyllid, it is important that all properties within the treatment area are treated with the insecticide applications in a timely manner.	CDFA has selected the insecticide products above based on their effectiveness against ACP, worker and environmental safety, and California registration status.
If you need to make special arrangements for this treatment, or if you have any questions or concerns, please call our office at (800) 491-1899.	Once the area has dried, you may use your property as you normally would.
Please visit our website to learn more about this pest http://www.cdfa.ca.gov/phpps/acp	 To prevent the spread of this pest, please do not move plant material off your property without contacting our project office.
This treatment is free of charge.	For best results, please irrigate the plants that were treated within 24 hours of treatment.
Thank you for your cooperation.	If you are experiencing health problems after this application, call the California Poison Control System hotline at (800) 222-1222(voice), or consult with your physician.
main you to your cooperation.	Thank you for your cooperation.
BLOCK NUMBER DATE (Hasen metion to the lock number when contenting our attoo) 60-233 (413)	BLOCK NUMBER DATE: Preser metro the lock number when contracting our difficing ab/24 (31/4116)
	Pes Detection/Emergency Projects Telephone: 800.491.1399 • www.cdf.c.t.gov Given Newson, Governor

Reschedule notification

Post-treatment notification

Pest Hotline:



Tree Removal

- There is no cure for HLB; once a tree is infected it will die.
- If an HLB positive tree is confirmed, the tree will be removed to prevent the spread of the HLB disease to other citrus trees.





Pest Hotline: 1.800.491.1899

CITRUS PEST & DISEASE PREVENTION DIVISION

CALIFORNIA DEPARTMENT OF FOOD AND AGRICULTURI

Quarantine

- ACP and HLB quarantines help prevent the spread of citrus pests and protect California's citrus.
- Avoid sharing fruit, if possible.
 - Homegrown fruit without stems and leaves may be moved within the quarantine (under 25 pounds).
- Do not move potted citrus plants, budwood, cuttings, and other host plants from your property.
- Only graft using plant parts received from an approved source.



- Only buy citrus nursery stock from reputable sources within your ACP quarantine zone.
- Contact CDFA for questions about moving citrus plants or fruit.

For official use only.	This plant shall <u>not be moved</u> out of the Asian Citrus Psyllid Nursery Regional Quarantine Zone 2. http://www.cdfa.ca.gov/plant/acp/regulation.html	12345
Conformation of Additional Conformational Conformation of Additional Conformational Conformation of Additional Conformation of Additional Conformation of Additional Conformational Conformationa Conformationa Conformationa Conformationa Conformationa	This plant shall <u>not be moved</u> out of the Asian Citrus Psyllid Nursery Regional Quarantine Zone 3. http://www.cdfa.ca.gov/plant/acp/regulation.html	12345
Conception of the second secon	This plant shall <u>not be moved</u> out of the area Quarantined for Huanglongbing disease. http://www.cdfa.ca.gov/plant/hlb/regulation.html	12345

For more quarantine information: www.cdfa.ca.gov/citrus/pests_diseases /acp/regulation


Pest Hotline:

1.800.491.1899



Biological Control

- *Tamarixia radiata* is an effective biocontrol agent and a natural enemy of ACP.
- This method alone is not enough to stop the spread of ACP.
- Strategic releases, along with treatment applications, help suppress ACP.
- *Tamarixia* are not a threat to humans or pets.



ACP Mummy



Tamarixia radiata



Tamarixia and ACP



Tamarixia laying eggs on an ACP nymph

Pest Hotline: 1.800.491.1899



Protecting Pollinators

- Protecting native bees and managed hives is essential to maintaining our food supply and ۲ the environment.
- CDFA staff actively look for foraging bees and take precautions to prevent pesticide drift. ٠
- The program follows all pesticide labels and instructions for bee safety. ٠
- CDFA will not treat if bees are present. ٠








Pest Hotline:

More info online at www.cdfa.ca.gov/plant/pollinators



Environmental Consultation and Monitoring


- Consultations are conducted with other State agencies prior to beginning any activity.
- Monitoring is conducted when activities move into new counties.
 - Air, soil, leaf, and fruit samples are collected and tested for pesticide levels before and after applications.





https://californiacitrusthreat.org

Citrus Pest & Disease Prevention Program



EASE PROTECT YOUR CITRUS CALIFORNIA CITRUS NEWS RESOURCES CONTACT

PEST & DISEASE PROTECT YOUR CITRUS CALIFORNIA CITRUS NEWS RESOURCES



A Threat to California Citrus

A plant disease that kills citrus trees has been found in California. The disease, called Huanglongbing or citrus greening disease, isn't harmful to humans, but it is fatal for citrus trees and has no cure. The disease is spread by a pest called the Asian citrus psyllid as it feeds on citrus tree leaves. Until researchers find a solution, California homeowners who enjoy growing fresh citrus fruit in their yards, and

Public Meetings

In addition to being available on <u>CDFA's website</u>, presentations for recent public meetings are av <u>CaliforniaCitrusThreat.org</u>. Presentations include information the pest and disease, upcoming ac agricultural officials in specific communities and regulations in place to limit the spread of the ps


Pest Hotline:

1.800.491.1899

Learn More



http://ipm.ucanr.edu/



Pest Hotline: 1.800.491.1899

CITRUS PEST & DISEASE PREVENTION DIVISION

CALIFORNIA DEPARTMENT OF FOOD AND AGRICULTURE

https://www.cdfa.ca.gov/citrus/



? Hot Topics What to Expect when CDFA is Inspecting, Trapping and Treating Health Questions and Answers - CoreTect[®] Health Questions and Answers - Merit[®] 2F Health Questions and Answers - Tempo[®] SC Ultra Analyses regarding the state of ACP and HLB in California Pests and Diseases Ouarantines **Regulatory Information** Treatment

Pest Hotline:

1.800.491.1899



Thank you for attending!

- <u>https://californiacitrusthreat.org</u>
- <u>http://ipm.ucanr.edu/</u>
- <u>https://www.cdfa.ca.gov/citrus/</u>
- <u>https://www.cdfa.ca.gov/plant/reportapest/</u>

