Public Meeting Information

Asian Citrus Psyllid Response Program



Asian Citrus Psyllid (ACP) Life Cycle

- Up to 10 generations per year
- 5 nymph stages
- Life cycle is 15 47 days
- Eggs can reach the adult stage in 2 weeks

Life Stages



Eggs

Nymphs with waxy tubules



Adult

Adult feeding with nymphs

Pest Hotline: 1.800.491.1899



Huanglongbing (HLB)







Asymmetric leaf mottling







Yellow, corked veins

- HLB is a bacterial disease of citrus and citrus relatives, caused by the bacteria *Candidatus* Liberibacter asiaticus.
- HLB can be spread by ACP feeding or grafting with infected budwood.
 ACP ingest the bacteria when feeding and can spread it to other trees.
- Symptoms include yellow shoots, asymmetric leaf mottle, thick or woody leaf veins, and lopsided, inedible fruit.
- There is no known cure for HLB. Once a tree is infected with HLB, it will die.
- If you suspect you have a citrus tree with HLB, please contact the California Department of Food and Agriculture at 1-800-491-1899.



Survey

CDFA staff will survey the area for all host plants and look for ACP and HLB disease symptoms.







- CDFA surveyors will collect leaf samples and any ACP life stages from all host plants.
- Host plants include all citrus varieties and hybrids (kumquat, mandarin, grapefruit, orange, lemon and lime) and closely related plants like curry leaf and ornamental orange-jasmine.
- All samples are shipped to the CDFA Plant Pest Diagnostics Center laboratory in Sacramento for analysis.
- If a sample is confirmed positive for ACP or the HLB disease, the resident will be notified.



Treatment

- CDFA will be treating citrus trees to eradicate possibly infected ACP in the area.
- Treatment will be applied by a professional applicator or CDFA staff.









Active Ingredients

- The ACP treatment program uses products containing the active ingredients imidacloprid and beta-cyfluthrin.
- Imidacloprid is an insecticide that provides lasting protection to trees. It is available in a variety of home garden products and flea treatments for dogs and cats.
- Beta-cyfluthrin is an insecticide used for the control of ACP adults and nymphs. It is similar to a natural compound found in chrysanthemum flowers. Beta-cyfluthrin products are used in homes, restaurants, hospitals, food processing plants and gardens.



Tempo SC Ultra Beta-cyfluthrin product



Merit 2F Imidacloprid product



CoreTect Imidacloprid product




Pest Hotline:

Notifications



48-hour notification



Reschedule notification

| | CALIFORNIA DEPARTME COUNTY AGRICULTU | | | COTA L |
|--|--|--|--|----------------|
| | NOTICE OF INS | ECTICIDE TREAT | MENT | |
| | a Department of Food and Agricu t pest, or Huanglongbing (HLB), a | | | |
| citrus trees or which poses | at approxin with the insecticide(s) checked be an your properfy, you have made a an imminent threat to California's Project Office at (800) 491-185 | low. By allowing CDFA to huge contribution to the s environment and econ | perform emergence suppression of this | invasive pest. |
| | | he ACP and HLB, pleas | | |
| | Tempo® SC Ultra (beta-cyfluthrin) is a formulation of a pyrethroid conta insecticide for controlling Asian citrus psyllid adults and nymphs. This material will applied a minimum of one time to the foliage of host plants on designated resident properties. | | | |
| | Merit® 2F (imidacloprid, a syst designated residential propertie system and provides approxima on the soil conditions. | s. The material is take | n up into the plan | t via the root |
| | CoreTect™ (imidacloprid, a soil surface of host plants at d into the plant via the root systagainst the pest, depending on t | esignated residential pro em and provides approx | perties. The materi | al is taken up |
| CDFA has sel environmenta | ected the insecticide products ab safety, and California registration | ove based on their effect n status. | iveness against AC | P, worker and |
| • | Once the area has dried, you ma | ay use your property as y | ou normally would. | |
| • | To prevent the spread of this per property without contacting our p | st, please do not move pl project office. | ant material off you | r |
| • | For best results, please irrigate t | he plants that were treate | ed within 24 hours o | f treatment. |
| | are experiencing health problems e at (800) 222-1222(voice), or cor | | the California Pois | on Control |
| Thank you f | or your cooperation. | | | |
| BLOCK NUN (Please mention the bit 80-234 (3/14/18) | IBER_ ock number when contacting our office) | DAT | E: | _ |
| Pest Detection/Emerge | ncy Projects 899 • www.cdfa.ca.gov | | State of Ca Gavin Newsom, C | |

Post-treatment notification



Pest Hotline: 1.800.491.1899

CITRUS PEST & DISEASE PREVENTION DIVISION CALIFORNIA DEPARTMENT OF FOOD AND AGRICULTURE

Tree Removal

- There is no cure for HLB; once a tree is infected it will die.
- If an HLB positive tree is confirmed, the tree will be removed to prevent the spread of the HLB disease to other citrus trees.







Quarantine

- ACP and HLB quarantines help prevent the spread of citrus pests and protect California's citrus.
- Avoid sharing fruit, if possible.
 - Homegrown fruit without stems and leaves may be moved within the quarantine (under 25 pounds).
- Do not move potted citrus plants, budwood, cuttings, and other host plants from your property.
- Only graft using plant parts received from an approved source.



- Only buy citrus nursery stock from reputable sources within your ACP quarantine zone.
- Contact CDFA for questions about moving citrus plants or fruit.



For more quarantine information:

www.cdfa.ca.gov/citrus/pests_diseases /acp/regulation



Pest Hotline: 1.800.491.1899

CITRUS PEST & DISEASE PREVENTION DIVISION CALIFORNIA DEPARTMENT OF FOOD AND AGRICULTURE

Biological Control

- Tamarixia radiata is an effective biocontrol agent and a natural enemy of ACP.
- This method alone is not enough to stop the spread of ACP.
- Strategic releases, along with treatment applications, help suppress ACP.
- Tamarixia are not a threat to humans or pets.



ACP Mummy



Tamarixia radiata



Tamarixia and ACP



Tamarixia laying eggs on an ACP nymph

Pest Hotline: 1.800.491.1899



Protecting Pollinators

- Protecting native bees and managed hives is essential to maintaining our food supply and the environment.
- CDFA staff actively look for foraging bees and take precautions to prevent pesticide drift.
- The program follows all pesticide labels and instructions for bee safety.
- CDFA will not treat if bees are present.








More info online at www.cdfa.ca.gov/plant/pollinators



Environmental Consultation and Monitoring

- Consultations are conducted with other State agencies prior to beginning any activity.
- Monitoring is conducted when activities move into new counties.
 - Air, soil, leaf, and fruit samples are collected and tested for pesticide levels before and after applications.










https://californiacitrusthreat.org




EASE PROTECT YOUR CITRUS CALIFORNIA CITRUS NEWS RESOURCES CONTACT



A Threat to California Citrus

A plant disease that kills citrus trees has been found in California. The disease, called Huanglongbing or citrus greening disease, isn't harmful to humans, but it is fatal for citrus trees and has no cure. The disease is spread by a pest called the Asian citrus psyllid as it feeds on citrus tree leaves. Until researchers find a solution, California homeowners who enjoy growing fresh citrus fruit in their yards, and




PEST & DISEASE PROTECT YOUR CITRUS CALIFORNIA CITRUS NEWS RESOURCES

Public Meetings

In addition to being available on <u>CDFA's website</u>, presentations for recent public meetings are available on <u>CaliforniaCitrusThreat.org</u>. Presentations include information the pest and disease, upcoming ac agricultural officials in specific communities and regulations in place to limit the spread of the ps


Learn More








http://ipm.ucanr.edu/






Pest Hotline: 1.800.491.1899



https://www.cdfa.ca.gov/citrus/



CDFA Home | Citrus Pest and Disease Prevention Division

Citrus Pest and Disease Prevention Division

1220 "N" Street, Sacramento, CA 95814 • 916-274-6300 • cdfa.cpdpd@cdfa.ca.gov

A Pest Hotline: 1-800-491-1899

The California Department of Food and Agriculture (CDFA) established the Citrus Pest and Disease Prevention Program (CPDPP) in 2009 to sustain and protect California citrus in accordance with the Food and Agriculture Code, section 5911-5940. In response to increasing pest and disease pressure, the Citrus Pest and Disease Prevention Committee recommended that CDFA seek dedicated resources to implement the CPDPP. Dedicated resources were secured in the 2019 Budget Act and the Citrus Pest and Disease Prevention Division (CPDPD) was established in July 2019. CPDPP activities previously carried out by the CDFA Plant Health and Pest Prevention Services Division have been transitioned





- What to Expect when CDFA is Inspecting, Trapping and Treating
- ▶ Health Questions and Answers CoreTect®
- ▶ Health Questions and Answers Merit® 2F
- ▶ Health Questions and Answers Tempo® SC Ultra
- Analyses regarding the state of ACP and HLB in California



Pest Hotline: 1.800.491.1899



Thank you for attending!

- https://californiacitrusthreat.org
- http://ipm.ucanr.edu/
- https://www.cdfa.ca.gov/citrus/
- https://www.cdfa.ca.gov/plant/reportapest/

